

# Unistrut



## Product info

Hot-dipped galvanized finishing. Also available in stainless-steel

NOTES: Other material finishes and lengths are available upon request.

## Stock code

No.	Description
MTA.C41213U	CCM HD GALV'D 41X21 UNISTRUT (HALF)
MTA.C4121U	CCM HD GALV'D 41X21 UNISTRUT (FULL)
MTA.C41413U	CCM HD GALV'D 41X41 UNISTRUT (HALF)
MTA.C4141U	CCM HD GALV'D 41X41 UNISTRUT (FULL)
MTA.CS41213U	CCM HDG 41X21 "SLOTTED" UNISTRUT (HALF)
MTA.CS4121U	CCM HDG 41X21 "SLOTTED" UNISTRUT (FULL)
MTA.CS41413U	CCM HDG 41X41 "SLOTTED" UNISTRUT (HALF)
MTA.CS4141U	CCM HDG 41X41 "SLOTTED" UNISTRUT (FULL)


Note: Due to continuous development and improvement, our company reserves the right to change specification without notice.

# Unistrut Accessories Joint


**Finishes:** plain, zinc-plated, hot-dipped galvanized, green powder coated.  
Also available in Stainless Steel 304 & 316 alloy

**NOTES:** Other material finishes and lengths are available upon request.


## Product info



F101



F102



F103

## Stock code

No.	Description
MTA.UF101.	41X41 SQ JOINT(F101)
MTA.UF102.	41X41 2 HOLE SQ JOINT(F102)
MTA.UF103.	41X41 3 HOLE SQ JOINT(F103)


Note: Due to continuous development and improvement, our company reserves the right to change specification without notice.

# Unistrut Accessories


**Finishes:** plain, zinc-plated, hot-dipped galvanized, green powder coated.  
Also available in Stainless Steel 304 & 316 alloy

**NOTES:** Other material finishes and lengths are available upon request.


## Technical info



F104



F108



BIS109

## Stock code

No.	Description
MTA.UF104.	41X41 4 HOLE SQ JOINT(F104)
MTA.UF108.	41X41 TEE JOINT(F108)
MTA.UF109.	41X41 CROSS JOINT (BIS109)

Note: Due to continuous development and improvement, our company reserves the right to change specification without notice.



# Unistruct Accessories

## Elbow

**FINISH:** Plain, Zinc Plated, Hot Dip Galvanized, Green Powder coated, PVC Coated, Also available in Stainless Steel 304 & 316 Alloys.

**NOTES:** Other materials, finish & lengths are available upon request .

### Technical info



### Stock code

No.	Description
MTA.U4141E.	41X41 ELBOW
MTA.UA205.	41X41 4 HOLE ELBOW(A205)

Note: Due to continuous development and improvement, our company reserves the right to change specification without notice.




# Unistrut Accessories

## Unistrut Stand

**Finishes:** plain, zinc-plated, hot-dipped galvanized, green powder coated.  
Also available in Stainless Steel 304 & 316 alloy

**NOTES:** Other material finishes and lengths are available upon request.

### Technical info



### Stock code

No.	Description
MTA.US501.	UNISTRUT STAND (BIS501)
MTA.OL41.	41X41 PVC END CAP
MTA.OL4121.	41X21 PVC END CAP




Note: Due to continuous development and improvement, our company reserves the right to change specification without notice.

# Spring Nut



**Finishes:** zinc-plated, hot-dipped galvanized, stainless steel 304 & 316 alloy

## Product info



SIZE	A(mm)	B(mm)	C(mm)
3/8"	34.5	19	9
1/4"	34.5	19	6

## Stock code

No.	Description
HW-SN14.	1/4" SPRING NUT
HW-SN38.	3/8" SPRING NUT

Note: Due to continuous development and improvement, our company reserves the right to change specification without notice.

# Unistrut Accessories

## C Bracket



### Technical info

**MATERIAL:**  
Mild Steel, Grade S275JR

**FINISHING:**  
Zinc-plating, electrogalvanized, hot-dipped galvanized

**SERVICE:**  
Trunking C-Bracket allows for easy adaptation for most cable trays and trunkings.  
Easy to slot in most threaded rod fixture cable tray alignment.

**MAXIMUM TEMPERATURE:**  
450 F

**FEATURES:**  
2 x 12mm diameter holes for installation.

### Stock code

No.	Description
MTA.BK233	CCM C BRACKET 2"x3"x3"
MTA.BK343	CCM C BRACKET 3"x4"x3-3/4"
MTA.BK354	CCM C BRACKET 3-3/4"x5"x4-3/4"
MTA.BK466	CCM C BRACKET 4-1/2"x6-1/2"x6-1/2"
MTA.BK668	CCM C BRACKET 6-1/2"x6-1/2"x8-1/2"

# Unistruct Accessories

## L Bracket



### Technical info

**MATERIAL:**  
Mild Steel, Grade S275JR

**FINISHING:**  
Zinc-plating, electrogalvanized, hot-dipped galvanized

**SERVICE:**  
Trunking L-Bracket allows for easy adaptation for most cable trays and trunkings. Easy to slot in most threaded rod fixture cable tray alignment.

**MAXIMUM TEMPERATURE:**  
450 F

**FEATURES:**  
2 x 12mm diameter holes for installation.

### Stock code

No.	Description
MTA.BKL56	CCM L BRACKET 5"X 6"
MTA.BKL810	CCM L BRACKET 8"X 10"