

3CX40 Flexible Cable (100 Yard)



Technical info


PVC sheathed flexible cord (100YARD)		Type:3Cx40(TA)
Standard:GB/T5023-2008		Length:100YARD
Item		requirement:
Conductor	The number	3x40
	Diameter(mm)	≤0.21
Insulation	AVG(mm)	≥0.6
	Mix(mm)	≥0.44
Sheath	AVG(mm)	≥0.8
	Mix(mm)	≥0.58
Outer diameter(mm)		8.0

Stock code

No.	Description
CAF340Y.CCM	CCM 3CX40 FLEX CABLE(100Y)

Note: Due to continuous development and improvement, our company reserves the right to change specification without notice.

4C X 40/0.193 PVC Flexible Cable (100Yard)



Technical info


PVC sheathed flexible cord (100YARD)		Type:4Cx40(TA)
Standard:GB/T5023-2008		Length:100YARD
Item		requirement:
Conductor	The number	4x40
	Diameter(mm)	≤0.21
Insulation	AVG(mm)	≥0.6
	Mix(mm)	≥0.44
Sheath	AVG(mm)	≥0.9
	Mix(mm)	≥0.67
Outer diameter(mm)		8.0

Stock code

No.	Description
CAF440Y.HK-	CCM 4C X 40/0.076 PVC FLEX CABLE (100Y)

Note: Due to continuous development and improvement, our company reserves the right to change specification without notice.

3C X 70/0.193 PVC Flexible Cable (100 Yard)



Technical info

PVC sheathed flexible cord (100YARD)		Type:3Cx70
Standard:GB/T5023-2008		Length:100YARD
Item		requirement:
Conductor	The number	3C x 70
	Diameter(mm)	≤0.27
Insulation	AVG(mm)	≥0.90
	Mix(mm)	≥0.44
Sheath	AVG(mm)	≥0.9
	Mix(mm)	≥0.67
Outer diameter(mm)		8.0

Stock code

No.	Description
CAF370Y.CCM	CCM 3CX70 FLEX CABLE(100Y)

Note: Due to continuous development and improvement, our company reserves the right to change specification without notice.